



# SEQUENCE LISTING

<110> Zang, Jingwu Z.  
Ho, Walter Kowk Keung  
Zhang, Dongqing  
Sun, Wei

<120> T Cell Receptor CDR3 Sequence and Methods for  
Detecting and Treating Rheumatoid Arthritis

<130> D6622

<140> US 10/612,468  
<141> 2003-07-02

<160> 168

<210> 1  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> part of the complementary determining region-3 (CDR3)  
in the V(16 family (BV16 gene) of T cell receptors  
(TCR) in patients with rheumatoid arthritis (RA)

<400> 1  
agccaagctg acgggaccca t 21

<210> 2  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> part of the complementary determining region-3  
(CDR3) in the V(14 family (BV14 gene) of TCR in  
patients with RA

<400> 2  
agttccgggg gcagtctgtt c 21

<210> 3  
<211> 7

<212> PRT  
<213> *Homo sapiens*

<220>

<221> PEPTIDE

<223> conserved amino acid sequence derived from CDR3 of  
TCR beta-chain BV16 in patients with RA

<400> 3

Ser Gln Ala Asp Gly Thr His  
1 5

<210> 4

<211> 7

<212> PRT

<213> *Homo sapiens*

<220>

<221> PEPTIDE

<223> conserved amino acid sequence derived from CDR3 of  
TCR beta-chain BV14 in patients with RA

<400> 4

Ser Ser Gly Gly Ser Leu Phe  
1 5

<210> 5

<211> 4

<212> PRT

<213> *Homo sapiens*

<220>

<221> PEPTIDE

<223> amino acid sequence motif derived from CDR3 of TCR  
beta-chain BV16 in patients with RA

<400> 5

Ser Trp Gly Gly  
1

<210> 6

<211> 113

<212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> amino acid sequence of human (beta-chain variable  
region V(14 of T cell receptors

<400> 6

Met	Gly	Pro	Gln	Leu	Leu	Gly	Tyr	Val	Val	Leu	Cys	Leu	Leu	Gly
1				5					10					15
Ala	Gly	Pro	Leu	Glu	Ala	Gln	Val	Thr	Gln	Asn	Pro	Arg	Tyr	Leu
				20					25					30
Ile	Thr	Val	Thr	Gly	Lys	Lys	Leu	Thr	Val	Thr	Cys	Ser	Gln	Asn
				35					40					45
Met	Asn	His	Glu	Tyr	Met	Ser	Trp	Tyr	Arg	Gln	Asp	Pro	Gly	Leu
				50					55					60
Gly	Leu	Arg	Gln	Ile	Tyr	Tyr	Ser	Met	Asn	Val	Glu	Val	Thr	Asp
				65					70					75
Lys	Gly	Asp	Val	Pro	Glu	Gly	Tyr	Lys	Val	Ser	Arg	Lys	Glu	Lys
				80					85					90
Arg	Asn	Phe	Pro	Leu	Ile	Leu	Glu	Ser	Pro	Ser	Pro	Asn	Gln	Thr
				95					100					105
Ser	Leu	Tyr	Phe	Cys	Ala	Ser	Ser							
				110										

<210> 7

<211> 96

<212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> amino acid sequence of human (beta-chain variable  
region V(16 of T cell receptors

<400> 7

Ile	Glu	Ala	Gly	Val	Thr	Gln	Phe	Pro	Ser	His	Ser	Val	Ile	Glu
1				5					10					15
Lys	Gly	Gln	Thr	Val	Thr	Leu	Arg	Cys	Asp	Pro	Ile	Ser	Gly	His
				20					25					30
Asp	Asn	Leu	Tyr	Trp	Tyr	Arg	Arg	Val	Met	Gly	Lys	Glu	Ile	Lys
				35					40					45
Phe	Leu	Leu	His	Phe	Val	Lys	Glu	Ser	Lys	Gln	Asp	Glu	Ser	Gly
				50					55					60
Met	Pro	Asn	Asn	Arg	Phe	Leu	Ala	Glu	Arg	Thr	Gly	Gly	Thr	Tyr
				65					70					75
Ser	Thr	Leu	Lys	Val	Gln	Pro	Ala	Glu	Leu	Glu	Asp	Ser	Gly	Val
				80					85					90
Tyr	Phe	Cys	Ala	Ser	Ser									
				95										

<210> 8  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV1 used in real-time  
 PCR analysis  
  
 <400> 8  
 aagcacctga tcacagcaac t 21  
  
 <210> 9  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV1 used in real-time  
 PCR analysis  
  
 <400> 9  
 tagttcagag tgcaagtcag g 21  
  
 <210> 10  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV2 used in real-time  
 PCR analysis  
  
 <400> 10  
 ggttatctgt aagagtggaa cct 23  
  
 <210> 11  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV2 used in real-time  
 PCR analysis  
  
 <400> 11  
 aggatgggca ctggtcactg t 21

<210> 12  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV3 used in real-time  
 PCR analysis  
  
 <400> 12  
 tcgagatatc tagtcaaaag gacg 24  
  
 <210> 13  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV3 used in real-time  
 PCR analysis  
  
 <400> 13  
 ggtgctggcg gactccagaa t 21  
  
 <210> 14  
 <211> 22  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV4 used in real-time  
 PCR analysis  
  
 <400> 14  
 aagcagggat atctgtcaac gt 22  
  
 <210> 15  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV4 used in real-time  
 PCR analysis

<400> 15  
 ttcagggtc atgttgctca c 21  
  
 <210> 16  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV5 used in real-time  
 PCR analysis  
  
 <400> 16  
 gatcaaaacg agaggacagc a 21  
  
 <210> 17  
 <211> 22  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV5 used in real-time  
 PCR analysis  
  
 <400> 17  
 agcaccaagg cgctcacatt ca 22  
  
 <210> 18  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV6 used in real-time  
 PCR analysis  
  
 <400> 18  
 ctcaggtgtg atccaatttc a 21  
  
 <210> 19  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV6 used in real-time

## PCR analysis

<400> 19  
cccccgctct gtgcgctgga t 21

<210> 20  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> forward primer specific for TCR BV7 used in real-time  
PCR analysis

<400> 20  
catgggaatg acaaataaga agtct 25

<210> 21  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> reverse primer specific for TCR BV7 used in real-time  
PCR analysis

<400> 21  
tggctgcagg gcgtgtaggt g 21

<210> 22  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> forward primer specific for TCR BV8 used in real-time  
PCR analysis

<400> 22  
ccccgccatg aggtgacaga g 21

<210> 23  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
 <223> reverse primer specific for TCR BV8 used in real-time  
 PCR analysis

<400> 23  
 gagtccctgg gttctgaggg c 21

<210> 24  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> forward primer specific for TCR BV9 used in real-time  
 PCR analysis

<400> 24  
 ccaaaatacc tggtcacaca g 21

<210> 25  
 <211> 22  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> reverse primer specific for TCR BV9 used in real-time  
 PCR analysis

<400> 25  
 ccaggaatt gatgtgaaga tt 22

<210> 26  
 <211> 22  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> forward primer specific for TCR BV10 used in real-time  
 PCR analysis

<400> 26  
 acctagactt ctggtcaaag ca 22

<210> 27  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence



<220>  
 <223> reverse primer specific for TCR BV10 used in real-time  
 PCR analysis

<400> 27  
 ggactggatc tccaaggtac a 21

<210> 28  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> forward primer specific for TCR BV11 used in real-time  
 PCR analysis

<400> 28  
 ttatagggac aggaaagaag atc 23

<210> 29  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> reverse primer specific for TCR BV11 used in real-time  
 PCR analysis

<400> 29  
 atgtgagggc ctggcagact c 21

<210> 30  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> forward primer specific for TCR BV12 used in real-time  
 PCR analysis

<400> 30  
 caagacacaa gatcacagag aca 23

<210> 31  
 <211> 21  
 <212> DNA

<213> Artificial Sequence

<220>

<223> reverse primer specific for TCR BV12 used in real-time PCR analysis

<400> 31

ggcagcagac tccagagtga g 21

<210> 32

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> forward primer specific for TCR BV13 used in real-time PCR analysis

<400> 32

tgaagacagg acagagcatg aca 23

<210> 33

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> reverse primer specific for TCR BV13 used in real-time PCR analysis

<400> 33

cacagatgtc tgggagggag c 21

<210> 34

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> forward primer specific for TCR BV14 used in real-time PCR analysis

<400> 34

acccaagata cctcatcaca gtg 23

<210> 35

<211> 21

<212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV14 used in real-time  
 PCR analysis  
  
 <400> 35  
 agaggtctgg ttggggctgg g 21  
  
 <210> 36  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV15 used in real-time  
 PCR analysis  
  
 <400> 36  
 tcacaaagac aggaaagagg att 23  
  
 <210> 37  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV15 used in real-time  
 PCR analysis  
  
 <400> 37  
 ggggatggca gactctaggg a 21  
  
 <210> 38  
 <211> 22  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV16 used in real-time  
 PCR analysis  
  
 <400> 38  
 gttccccagc cacagcgtaa ta 22

<210> 39  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV16 used in real-time  
 PCR analysis  
  
 <400> 39  
 cagttctgca ggctgcacct t 21  
  
 <210> 40  
 <211> 22  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV17 used in real-time  
 PCR analysis  
  
 <400> 40  
 gtccccaag tacctgttca ga 22  
  
 <210> 41  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV17 used in real-time  
 PCR analysis  
  
 <400> 41  
 agctgtcggg ttcttttggg c 21  
  
 <210> 42  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV18 used in real-time  
 PCR analysis  
  
 <400> 42  
 agacacctgg tcaggaggag g 21

<210> 43  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV18 used in real-time  
 PCR analysis  
  
 <400> 43  
 tgccgaatct cctcgacta c 21  
  
 <210> 44  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV19 used in real-time  
 PCR analysis  
  
 <400> 44  
 ccaggacatt tgggtcaaagg aaaa 24  
  
 <210> 45  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BV19 used in real-time  
 PCR analysis  
  
 <400> 45  
 cagtgccgtg tctcccgggtt c 21  
  
 <210> 46  
 <211> 19  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> forward primer specific for TCR BV20 used in real-time  
 PCR analysis

<400> 46  
 gaccctggtg cagcctgtg 19

<210> 47  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> reverse primer specific for TCR BV20 used in real-time PCR analysis

<400> 47  
 gaggaggagc ttcttagaac t 21

<210> 48  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> forward primer specific for TCR BV21 used in real-time PCR analysis

<400> 48  
 cccagatata agattacaga gaaa 24

<210> 49  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> reverse primer specific for TCR BV21 used in real-time PCR analysis

<400> 49  
 ctggatcttg agagtggagt c 21

<210> 50  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> forward primer specific for TCR BV22 used in real-time PCR analysis

<400> 50  
 cacagatggg acaggaagtg atc 23

<210> 51  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> reverse primer specific for TCR BV22 used in real-time PCR analysis

<400> 51  
 gtctccagc tttgtggacc g 21

<210> 52  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> forward primer specific for TCR BV23 used in real-time PCR analysis

<400> 52  
 aagagggaaa cagccactct g 21

<210> 53  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> reverse primer specific for TCR BV23 used in real-time PCR analysis

<400> 53  
 cagctccaag gagctcatgt t 21

<210> 54  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> forward primer specific for TCR BV24 used in real-time

## PCR analysis

<400> 54  
ccaagataacc aggttaccca gttt 24

<210> 55  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> reverse primer specific for TCR BV24 used in real-time  
PCR analysis

<400> 55  
caggcctggg gagcggtatgt c 21

<210> 56  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> forward primer specific for TCR BV25 used in real-time  
PCR analysis

<400> 56  
aaaacatctt gtcagagggg aa 22

<210> 57  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> reverse primer specific for TCR BV25 used in real-time  
PCR analysis

<400> 57  
tgaatcctca agcttcgtag c 21

<210> 58  
<211> 19  
<212> DNA  
<213> Artificial Sequence



<220>  
 <223> forward primer specific for TCR BC used in real-time PCR analysis  
  
 <400> 58  
 cagcgccctt gtgttgatg 19  
  
 <210> 59  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> reverse primer specific for TCR BC used in real-time PCR analysis  
  
 <400> 59  
 aagcgctggc aaaagaagaa 20  
  
 <210> 60  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> BC primer used for run-off reactions  
  
 <400> 60  
 cgacctcggg tgggaaca 18  
  
 <210> 61  
 <211> 19  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BC primer used for run-off reactions  
  
 <400> 61  
 cacagcgacc tcgggtggg 19  
  
 <210> 62  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 62  
 actgtgägtc tgggtgccttg t 21  
  
 <210> 63  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 63  
 acaacggta acttgggtccc cgaa 24  
  
 <210> 64  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 64  
 ggtcctctac aacagtgagc caac 24  
  
 <210> 65  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 65  
 aagagagaga gctggggttcc actg 24  
  
 <210> 66  
 <211> 19  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions

<400> 66  
 ggagagtcga gttccatca 19  
  
 <210> 67  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 67  
 tgtcacagtg agcctgggtcc catt 24  
  
 <210> 68  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 68  
 cctggcccga agaactgctc a 21  
  
 <210> 69  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 69  
 gtcctccagt acgctcagcc taga 24  
  
 <210> 70  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 70  
 tgcctggggcc aaaatactgc g 21

<210> 71  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 71  
 tccccgcgcc gaagtactga a 21  
  
 <210> 72  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 72  
 tcgagcacca ggagccgc 18  
  
 <210> 73  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 73  
 ctgctgccgg ccccgaaagt c 21  
  
 <210> 74  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> FAM (expand)-labeled BJ primer used for run-off reactions  
  
 <400> 74  
 tgaccgtgag cctggtgccc g 21  
  
 <210> 75  
 <211> 20  
 <212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 75

Tyr	Phe	Cys	Ala	Ser	Ser	Gln	Asp	Ser	Gly	Gly	Gly	Gly	Glu	Gln
1				5				10					15	
Phe	Phe	Gly	Pro	Gly										
				20										

<210> 76

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 76

tatttctgtg	ccagcagcca	agatagcggg	gggggaggtg	agcagttctt	50
cgggccagga					60

<210> 77

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 77

Tyr	Phe	Cys	Ala	Ser	Ser	Arg	Leu	Gly	Gln	Gly	Tyr	Asn	Glu	Gln
1				5				10					15	
Phe	Phe	Gly	Pro	Gly										
				20										

<210> 78

<211> 60

<212> DNA

<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 78  
tatttctgtg ccagcagccg actgggacag ggctacaatg agcagttctt 50  
cgggccagga 60

<210> 79  
<211> 20  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patient

<400> 79  
Tyr Phe Cys Ala Ser Ser Gln Asp Leu Asp Ser Tyr Asn Glu Gln  
1 5 10 15  
Phe Phe Gly Pro Gly  
20

<210> 80  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 80  
tatttctgtg ccagcagcca agatctggac agctacaatg agcagttctt 50  
cgggccagga 60

<210> 81  
<211> 20  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN

<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patient

<400> 81

Tyr	Phe	Cys	Ala	Ser	Ser	Gln	Gly	Thr	Ser	Gly	Ile	Thr	Glu	Gln
1				5					10					15
Phe	Phe	Gly	Pro	Gly										
				20										

<210> 82

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 82

tatttctgtg	ccagcagcca	ggggactagc	gggatcactg	agcagttctt	50
cgggccagga					60

<210> 83

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patient

<400> 83

Tyr	Phe	Cys	Ala	Ser	Ser	Gln	Leu	Ala	Gly	Pro	Tyr	Asn	Glu	Gln
1				5					10					15
Phe	Phe	Gly	Pro	Gly										
				20										

<210> 84

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 84  
tatttctgtg ccagcagcca gctagcggga ccctacaatg agcagttctt 50  
cgggccagga 60

<210> 85  
<211> 20  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patient

<400> 85  
Tyr Phe Cys Ala Ser Ser Leu Leu Gly Thr Val Ser Tyr Glu Gln  
1 5 10 15  
Phe Phe Gly Pro Gly  
20

<210> 86  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 86  
tatttctgtg ccagcagcct tctcggcaca gtatcctatg agcagttctt 50  
cgggccaggc 60

<210> 87  
<211> 20  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patient



<400> 87  
 Tyr Phe Cys Ala Ser Pro Leu Gly Thr Ala Leu Ser Tyr Glu Gln  
 1 5 10 15  
 Phe Phe Gly Pro Gly  
 20

<210> 88  
 <211> 60  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived  
 from ST specimen of RA patients

<400> 88  
 tattttctgtg ccagccccct tgggacagcg ctatcctacg agcagtactt 50  
 cgggccgggc 60

<210> 89  
 <211> 20  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV16 clonotype derived  
 from ST specimen of RA patient

<400> 89  
 Tyr Phe Cys Ala Ser Ser Gln Ala Asp Gly Thr His Tyr Glu Gln  
 1 5 10 15  
 Phe Phe Gly Pro Gly  
 20

<210> 90  
 <211> 60  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived  
 from ST specimen of RA patients

<400> 90  
tattttctgtg ccagcagcca agctgacggg acccattacg agcagtactt 50  
cgggccgggc 60

<210> 91  
<211> 20  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patient

<400> 91  
Tyr Phe Cys Ala Ser Ser Gln Asp Lys Gly His Phe Tyr Glu Gln  
1 5 10 15  
Phe Phe Gly Pro Gly  
20

<210> 92  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 92  
tattttctgtg ccagcagcca agataaggga cacttctacg agcagtactt 50  
cgggccgggc 60

<210> 93  
<211> 20  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patient

<400> 93  
Tyr Phe Cys Ala Ser Ser Gln Ala Asp Gly Thr His Tyr Glu Gln  
5 10 15

Phe Phe Gly Pro Gly  
20

<210> 94  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 94  
tatttctgtg ccagcagcca agctgacggg acccattacg agcagtactt 50  
cgggccgggc 60

<210> 95  
<211> 20  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patient

<400> 95  
Tyr Phe Cys Ala Ser Ser Trp Gly Gly Thr Asp Ile Tyr Glu Gln  
5 10 15  
Phe Phe Gly Pro Gly  
20

<210> 96  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 96  
tatttctgtg ccagcagctg gggcgggaca gacatctacg agcagtactt 50  
cgggccgggc 60

<210> 97  
 <211> 20  
 <212> PRT  
 <213> *Homo sapiens*  
  
 <220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV16 clonotype derived  
 from ST specimen of RA patient  
  
 <400> 97  
 Tyr Phe Cys Ala Ser Ser Leu Leu Gly Thr Val Ser Tyr Glu Gln  
 1 5 10 15  
 Phe Phe Gly Pro Gly  
 20  
  
 <210> 98  
 <211> 60  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 98  
 tatttctgtg ccagcagcct tctcggcaca gtatcctacg agcagtactt 50  
 cgggccgggc 60  
  
 <210> 99  
 <211> 18  
 <212> PRT  
 <213> *Homo sapiens*  
  
 <220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV16 clonotype derived  
 from ST specimen of RA patient  
  
 <400> 99  
 Tyr Phe Cys Ala Ser Ser Gln Gly Leu Asn Thr Glu Ala Phe Phe  
 1 5 10 15  
 Gly Gln Gly  
  
 <210> 100  
 <211> 54

<212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived  
 from ST specimen of RA patients

<400> 100  
 tatttctgtg ccagcagcca aggccttaac actgaagctt tctttggaca 50  
 aggc 54

<210> 101  
 <211> 18  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> Domain  
 <223> CDR3 amino acid sequence of BV16 clonotype derived  
 from ST specimen of RA patient

<400> 101  
 Tyr Phe Cys Ala Ser Arg Ala Ser Arg Tyr Thr Glu Ala Phe Phe  
 1 5 10 15  
 Gly Gln Gly

<210> 102  
 <211> 54  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived  
 from ST specimen of RA patients

<400> 102  
 tatttctgtg ccagcagggc aagcaggtac actgaagctt tctttggaca 50  
 aggc 54

<210> 103  
 <211> 18  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV16 clonotype derived  
 from ST specimen of RA patient  
  
 <400> 103  
 Tyr Phe Cys Ala Ser Arg Ala Ser Arg Tyr Thr Glu Ala Phe Phe  
 1 5 10 15  
 Gly Gln Gly  
  
 <210> 104  
 <211> 54  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 104  
 tatttctgtg ccagcagggc aagcaggtac actgaagctt tctttggaca 50  
 aggc 54  
  
 <210> 105  
 <211> 18  
 <212> PRT  
 <213> *Homo sapiens*  
  
 <220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV16 clonotype derived  
 from ST specimen of RA patient  
  
 <400> 105  
 Tyr Phe Cys Ala Ser Ser Thr Gly Val Asn Thr Glu Ala Phe Phe  
 1 5 10 15  
 Gly Gln Gly  
  
 <210> 106  
 <211> 54  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived

from ST specimen of RA patients

<400> 106  
tatttctgtg ccagcagtac aggggtgaac actgaagctt tctttggaca 50  
aggc 54

<210> 107  
<211> 18  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patient

<400> 107  
Tyr Phe Cys Ala Ser Ser Leu Thr Thr Asn Thr Glu Ala Phe Phe  
1 5 10 15  
Gly Gln Gly

<210> 108  
<211> 54  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV16 clonotype derived  
from ST specimen of RA patients

<400> 108  
tatttctgtg ccagcagcct cacaacgaac actgaagctt tctttggaca 50  
aggc 54

<210> 109  
<211> 18  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV16 clonotype derived  
from ST specimen of RA patient

<400> 109  
 Tyr Phe Cys Ala Ser Ser Gln Asp Ser Tyr Thr Glu Ala Phe Phe  
 1 5 10 15  
 Gly Gln Gly

<210> 110  
 <211> 54  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived  
 from ST specimen of RA patients

<400> 110  
 tatttctgtg ccagcagcca agattcgtac actgaagctt tctttggaca 50  
 aggc 54

<210> 111  
 <211> 18  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV16 clonotype derived  
 from ST specimen of RA patient

<400> 111  
 Tyr Phe Cys Ala Ser Ser Trp Gly Gly Asn Thr Glu Ala Phe Phe  
 1 5 10 15  
 Gly Gln Gly

<210> 112  
 <211> 54  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived  
 from ST specimen of RA patients

<400> 112  
 tatttctgtg ccagcagctg ggggggcaac actgaagctt tctttggaca 50  
 aggc 54



<210> 113  
 <211> 20  
 <212> PRT  
 <213> *Homo sapiens*  
  
 <220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 113  
 Tyr Phe Cys Ala Ser Ser Pro Thr Arg Asp Arg Gly Asn Glu Gln  
 1 5 10 15  
 Phe Phe Gly Pro Gly  
 20  
  
 <210> 114  
 <211> 63  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 114  
 tactttctgtg ccagcagtc caccgcgggac aggggaaata atgagcagtt 50  
 cttcggggcca gga 63  
  
 <210> 115  
 <211> 22  
 <212> PRT  
 <213> *Homo sapiens*  
  
 <220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 115  
 Tyr Phe Cys Ala Ser Ser Ser Pro Ile Ala Gly Ser Ser Tyr Asn  
 1 5 10 15  
 Glu Gln Phe Phe Gly Pro Gly  
 20

<210> 116  
 <211> 63  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 116  
 tacttctgtg ccagcagttc cccaatagcg gggagctcca atgagcagtt 50  
 cttcgggcca gga 63  
  
 <210> 117  
 <211> 20  
 <212> PRT  
 <213> *Homo sapiens*  
  
 <220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 117  
 Tyr Phe Cys Ala Ser Ser Phe Trp Ala Pro Thr Asp Asn Glu Gln  
 1 5 10 15  
 Phe Phe Gly Pro Gly  
 20  
  
 <210> 118  
 <211> 63  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 118  
 tacttctgtg ccagcagttt ctggggcccct acggacaata atgagcagtt 50  
 cttcgggcca gga 63  
  
 <210> 119  
 <211> 21  
 <212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 119

Tyr	Phe	Cys	Ala	Ser	Ser	Ser	Ser	Ser	Pro	Thr	Ser	Tyr	Asn	Glu
1				5					10					15
Gln	Phe	Phe	Gly	Pro	Gly									
				20										

<210> 120

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 120

tacttctgtg	ccagcagttc	tagcagcccc	acctcctacg	agcagttctt	50
cgggccagga					60

<210> 121

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 121

Tyr	Phe	Cys	Ala	Ser	Ser	Pro	Arg	Glu	Gly	Leu	Leu	Asn	Glu	Gln
1				5					10					15
Phe	Phe	Gly	Pro	Gly										
				20										

<210> 122

<211> 63

<212> DNA

<213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 122  
 tactttctgtg ccagcagccc tagggagggc ctcctcaata atgagcagtt 50  
 cttcggggcca gga 63

<210> 123  
 <211> 21  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 123  
 Tyr Phe Cys Ala Ser Ser Pro Trp Thr Ser Gly Ser Gly Asn Glu  
 1 5 10 15  
 Gln Phe Phe Gly Pro Gly  
 20

<210> 124  
 <211> 60  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 124  
 tactttctgtg ccagcagtcct ctggactagc gggagtgggtg agcagttcct 50  
 cggggccagga 60

<210> 125  
 <211> 19  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 125  
 Tyr Phe Cys Ala Ser Ser Leu Arg Thr Arg Phe Tyr Glu Gln Tyr  
 1 5 10 15  
 Phe Gly Pro Gly

<210> 126  
 <211> 57  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 126  
 tacttctgtg ccagcagttt aaggacacgc ttctacgagc agttcttcgg 50  
 gccagga 57

<210> 127  
 <211> 20  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 127  
 Tyr Phe Cys Ala Ser Ser Leu Thr Ser Gly Arg Gln Tyr Glu Gln  
 1 5 10 15  
 Tyr Phe Gly Pro Gly  
 20

<210> 128  
 <211> 60  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 128  
tacttctgtg ccagcagttt gaccagcggg cgtcagtacg agcagttctt 50  
cgggccagga 60

<210> 129

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 129  
Tyr Phe Cys Ala Ser Ser Ser Gly Gly Ser Leu Phe Tyr Glu Gln  
1 5 10 15  
Tyr Phe Gly Pro Gly  
20

<210> 130

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 130  
tacttctgtg ccagcagttc cgggggcagt ctgttctacg agcagttctt 50  
cgggccagga 60

<210> 131

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 131  
Tyr Phe Cys Ala Ser Ser Leu Ser Val Gly Ala Thr Tyr Glu Gln  
1 5 10 15  
Tyr Phe Gly Pro Gly  
20

<210> 132  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 132  
tacttctgtg ccagcagttt atcggtcggg gctacctacg agcagttctt 50  
cgggccagga 60

<210> 133  
<211> 20  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 133  
Tyr Phe Cys Ala Ser Ser Ser Gly Gly Ser Leu Phe Tyr Glu Gln  
1 5 10 15  
Tyr Phe Gly Pro Gly  
20

<210> 134  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 134  
 tactttctgtg ccagcagttc cgggggcagt ctgttctacg agcagttctt 50  
 cgggccagga 60

<210> 135  
 <211> 20  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 135  
 Tyr Phe Cys Ala Ser Ser Pro Ser Ile Ser Ser His Tyr Glu Gln  
 1 5 10 15  
 Tyr Phe Gly Pro Gly  
 20

<210> 136  
 <211> 60  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 136  
 tactttctgtg ccagcagccc aagtattagt tcccactacg agcagttctt 50  
 cgggccagga 60

<210> 137  
 <211> 19  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients



<400> 137  
 Tyr Phe Cys Ala Ser Ser Arg Asp Gly Val Ser Tyr Glu Gln Tyr  
 1 5 10 15  
 Phe Gly Pro Gly

<210> 138  
 <211> 57  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 138  
 tacttctgtg ccagcagtcg tgatgggggc tcctacgagc agttcttcgg 50  
 gccagga 57

<210> 139  
 <211> 19  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 139  
 Tyr Phe Cys Ala Ser Ser Leu Ser Ser Thr Gly Arg Glu Gln Tyr  
 1 5 10 15  
 Phe Gly Pro Gly

<210> 140  
 <211> 57  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 140  
 tacttctgtg ccagcagttt atcttcgaca gggaggggagc agtacttcgg 50  
 gccgggc 57

<210> 141  
<211> 20  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 141  
Tyr Phe Cys Ala Ser Ser Leu Ser Phe Arg Leu Asp Tyr Glu Gln  
1 5 10 15  
Tyr Phe Gly Pro Gly  
20

<210> 142  
<211> 60  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 142  
tactttctgtg ccagcagttt atcgtttaga ctagactacg agcagttctt 50  
cgggccagga 60

<210> 143  
<211> 20  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 143  
Tyr Phe Cys Ala Ser Ser Pro Ser Gly Gln Gly Ser Tyr Glu Gln  
1 5 10 15  
Tyr Phe Gly Pro Gly  
20

<210> 144  
 <211> 60  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 144  
 tacttctgtg ccagcagtcc gtcgggacag gggtcctacg agcagttctt 50  
 cgggccagga 60  
  
 <210> 145  
 <211> 20  
 <212> PRT  
 <213> *Homo sapiens*  
  
 <220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 145  
 Tyr Phe Cys Ala Ser Ser Phe Gly Thr Val Leu Ser Tyr Glu Gln  
 1 5 10 15  
 Tyr Phe Gly Pro Gly  
 20  
  
 <210> 146  
 <211> 60  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 146  
 tacttctgtg ccagcagttt tgggacagtc ctctcctacg agcagttctt 50  
 cgggccagga 60  
  
 <210> 147  
 <211> 20  
 <212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 147

Tyr	Phe	Cys	Ala	Ser	Ser	Pro	Arg	Leu	Ala	Gly	Asp	Lys	Glu	Gln
1				5				10					15	
Tyr	Phe	Gly	Pro	Gly										
				20										

<210> 148

<211> 61

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 148

tacttctgtg	ccagcagtc	ccgactagcg	ggagataaag	gagcagtact	50
tcgggccggg	c				61

<210> 149

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 149

Tyr	Phe	Cys	Ala	Ser	Ser	Leu	Ser	Ala	Arg	Thr	Thr	Tyr	Glu	Gln
1				5				10					15	
Tyr	Phe	Gly	Pro	Gly										
				20										

<210> 150

<211> 60

<212> DNA

<213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 150  
 tactttctgtg ccagcagttt aagtgccagg acaacctacg agcagtttctt 50  
 cgggccagga 60

<210> 151  
 <211> 19  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 151  
 Tyr Phe Cys Ala Ser Ser Leu Ile Gly Gly Asn Glu Lys Leu Phe  
 1 5 10 15  
 Leu Gly Ser Gly

<210> 152  
 <211> 57  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 152  
 tactttctgtg ccagcagttt gatagggggc aatgaaaaac tggttttttgg 50  
 cagtgga 57

<210> 153  
 <211> 18  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived

from ST specimen of RA patients

<400> 153

Tyr Phe Cys Ala Ser Ser Leu Ser Gln Glu Thr Glu Ala Phe Phe  
1 5 10 15  
Gly Gln Gly

<210> 154

<211> 53

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 154

tacttctgtg ccagagttta tcccaggaaa ctgaagcttt ctttgacaa 50  
ggc 53

<210> 155

<211> 19

<212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 155

Tyr Phe Cys Ala Ser Arg Ala Gly Thr Gly Phe Glu Lys Leu Phe  
1 5 10 15  
Phe Gly Ser Gly

<210> 156

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 156  
tacttctgtg ccagcagggc cgggacaggg tttaaactgt tttttggcag 50  
tgga 54

<210> 157  
<211> 18  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 157  
Tyr Phe Cys Ala Ser Ser Leu Ser Gln Asn Thr Glu Ala Phe Phe  
1 5 10 15  
Gly Gln Gly

<210> 158  
<211> 54  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> CDS  
<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 158  
tacttctgtg ccagcagtct gtcacagaac actgaagctt tctttggaca 50  
aggc 54

<210> 159  
<211> 18  
<212> PRT  
<213> *Homo sapiens*

<220>  
<221> DOMAIN  
<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 159  
Tyr Phe Cys Ala Ser Ser Pro Arg Val Asn Thr Glu Ala Phe Phe  
1 5 10 15  
Gly Gln Gly

<210> 160  
 <211> 53  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 160  
 tacttctgtg ccagagtccc cgggtcaaca ctgaagcttt ctttggacaa 50  
 ggc 53  
  
 <210> 161  
 <211> 18  
 <212> PRT  
 <213> *Homo sapiens*  
  
 <220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 161  
 Tyr Phe Cys Ala Ser Ser Leu Ser Gln Glu Thr Glu Ala Phe Phe  
 1 5 10 15  
 Gly Gln Gly  
  
 <210> 162  
 <211> 53  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients  
  
 <400> 162  
 tacttctgtg ccagagttta tcccaggaaa ctgaagcttt ctttggacaa 50  
 ggc 53  
  
 <210> 163  
 <211> 18  
 <212> PRT



<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 163

Tyr	Phe	Cys	Ala	Ser	Ser	Leu	Gly	Arg	Asn	Thr	Glu	Ala	Phe	Phe
1				5				10					15	
Gly	Gln	Gly												

<210> 164

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 164

tacttctgtg	ccagcagcct	agggaggaac	actgaagctt	tctttggaca	50
aggc					54

<210> 165

<211> 18

<212> PRT

<213> *Homo sapiens*

<220>

<221> DOMAIN

<223> CDR3 amino acid sequence of BV14 clonotype derived  
from ST specimen of RA patients

<400> 165

Tyr	Phe	Cys	Ala	Ser	Ser	Ser	Arg	Gly	Tyr	Thr	Glu	Ala	Phe	Phe
1				5				10					15	
Gly	Gln	Gly												

<210> 166

<211> 54

<212> DNA

<213> Artificial Sequence

<220>  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 166  
 tacttctgtg ccagcagttc caggggatac actgaagctt tctttggaca 50  
 aggc 54

<210> 167  
 <211> 18  
 <212> PRT  
 <213> *Homo sapiens*

<220>  
 <221> DOMAIN  
 <223> CDR3 amino acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 167  
 Tyr Phe Cys Ala Ser Ser Ser Leu Ala Thr Ala Glu Ala Phe Phe  
 1 5 10 15  
 Gly Gln Gly

<210> 168  
 <211> 54  
 <212> DNA  
 <213> Artificial Sequence

<220> C  
 <221> CDS  
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived  
 from ST specimen of RA patients

<400> 168  
 tacttctgtg ccagcagttc cctcgctact gctgaagctt tctttggaca 50  
 aggc 54